

Technical Data Sheet

CODE 61750

NORDIK EVOLUTION R 90/36" BIANCO

Reversible ceiling fans



Certifications

CE CE

EAC EAC

TECHNICAL AND PERFORMANCE DATA

Fan diameter	980	Weight (Kg)	6,4
Frequency (Hz)	50/60*	Max airflow (m ³ /h)	11592
Insulation class	I°	Max airflow (m ³ /min)	193,20
Max absorbed current (A)	0,34	Max flow speed (m/s)	3,52
Max absorbed power (W)	70	RPM	200
Voltage (V)	220-240	Service value (m ³ /min)/W	2,760
		Sound power Lw [dB(A)]	46,1

PER INFORMAZIONI / FOR INFORMATION

ITALY

Pre Sales:

prevendita@vortice-italy.com

After Sales:

postvendita@vortice-italy.com

UNITED KINGDOM & REP. OF

IRELAND

Sales Dept:

sales@vortice.ltd.uk

Technical Dept:

technical@vortice.ltd.uk

OTHER COUNTRIES

Sales Dept:

export@vortice-italy.com

After Sales:

after-sales@vortice-italy.com

Technical Data Sheet

CODE 61750

NORDIK EVOLUTION R 90/36" BIANCO



Reversible ceiling fans

DESCRIPTION

- Nominal diameter of blades 900 mm
- Top and bottom motor covers moulded from heat-resistant and UV-resistant thermoplastic resin (ABS), colour white.
- Wiring connections at end of ceiling rod concealed by domes moulded from impact- and UV-resistant thermoplastic resin (PP).
- Single phase start capacitor motor with external rotor, and shaft turning in ball bearings. Direction of rotation reversible.
- Maximum air flow 11592 m3/h
- 3 galvanized sheet steel blades powder coated with scratch-resistant polyester, colour white.
- Steel ceiling rod with scratch-resistant polyester powder coated finish, colour white, length 375 mm.
- Bag of accessories containing nuts and bolts required for assembly of blades, ceiling hook and rubber anti-vibration washer.
- Factory-prepared to accept a specific optional light kit with 2x15 W max energy saving lamp, E27 screw fitting.
- Speed selectable by way of control units or Telenordik 5TR remote control (optional)

ACCESSORIES



EVOLUTION LIGHT KIT ES

Code 22414



EVOLUTION LIGHT KIT

Code 22413



TELENORDIK 5TR

Code 22386



SCRR5

Code 12963



SCRR/M

Code 12965



KIT SCBRR5/5L/M

Code 22489



SC 503 B

Code 12801



SC 503 N

Code 12802



SC EXT B

Code 12803



SCI503

Code 22461



PSC-W

Code 22462



PSC-B

Code 22463



SCRR5L

Code 12964



ASTA NK I 200 BIANCA



ASTA NK I 250 BIANCA

Code 22032

Code 22033



**ASTA NK I 350
BIANCA**

Code 22042

**ASTA NK I 500
BIANCA**

Code 22051

**ASTA NK I 750
BIANCA**

Code 22074

**ASTA NK I 1000
BIANCA**

Code 22077



**SET PALE NK I
PLUS 90/36
BIANCO INT.**

Code 22631

VORT DELTA T

Code 13039

PER INFORMAZIONI / FOR INFORMATION

ITALY

Pre Sales:

prevendita@vortice-italy.com

After Sales:

postvendita@vortice-italy.com

UNITED KINGDOM & REP. OF

IRELAND

Sales Dept:

sales@vortice.ltd.uk

Technical Dept:

technical@vortice.ltd.uk

OTHER COUNTRIES

Sales Dept:

export@vortice-italy.com

After Sales:

after-sales@vortice-italy.com